

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	528	(381/2).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2006/11/13 11:53
S2	765	(381/77).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2006/12/21 09:55
S3	324	suzuki.in. and broadcast\$3 and pattern	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2006/11/13 11:25
S4	62	suzuki.in. and broadcast\$3 and pattern and rout\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2006/12/20 19:47
S5	0	toa.AS. and broadcast\$3 and pattern and rout\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2006/11/13 11:36
S6	952	(370/462).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2006/11/13 11:53
S7	2	S1 and (broadcast\$3 near3 (pattern patterns))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2006/11/13 11:54
S8	1	S2 and (broadcast\$3 near3 (pattern patterns))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2006/12/21 09:05
S9	4	S6 and (broadcast\$3 near3 (signature pattern patterns))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2006/11/13 11:55

EAST Search History

S10	63	suzuki.in. and broadcast\$3 and pattern and rout\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2006/12/20 19:47
S11	0	S10 and patterns same control\$3 same intial\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2006/12/20 19:47
S12	10	S10 and (patterns same control\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2006/12/20 20:06
S13	1	(broadcast\$3 near3 system) same (control\$3 with forces with input with devices with register)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2006/12/20 20:07
S14	1	(broadcast\$3 near3 system) and (control\$3 with forces with input with devices with register)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2006/12/20 20:07
S15	1	(broadcast\$3) and (control\$3 with forces with input with devices with register)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2006/12/20 20:08
S16	84	(broadcast\$3) and (control\$3 with input with devices with register)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2006/12/20 20:09
S17	1	(broadcast\$3) and (forc\$3 near4 input near3 devices near3 register)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2006/12/20 20:10
S18	35	(broadcast\$3) and (input near3 devices near3 register)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2006/12/20 20:11
S19	1	(broadcast\$3 with patterns) and (input near3 devices near3 register)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2006/12/20 20:12

EAST Search History

S20	1	(broadcast\$3 with patterns) and ((input near3 devices) with register)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2006/12/20 20:12
S21	1	(broadcast\$3 with patterns) and ((input near3 devices) same register)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2006/12/21 09:25
S22	4582	digital near2 broadcast\$3 near2 (apparatus system)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2006/12/21 09:05
S23	18	(digital near2 broadcast\$3 near2 (apparatus system)) same patterns	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2006/12/21 09:14
S24	8	(digital near2 broadcast\$3 near2 (apparatus system)) and (register\$3 with patterns)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2006/12/21 09:15
S25	680	(broadcasting) and (input near3 devices) and (output near2 devices) and patterns	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2006/12/21 09:26
S26	3	(broadcasting) same (input near3 devices) same (output near2 devices) and patterns	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2006/12/21 09:26
S27	10	(broadcasting) and ((input near3 devices) same (output near2 devices) same patterns)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2006/12/21 09:26
S28	531	(381/2).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2006/12/21 09:41
S29	768	(381/77).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2006/12/21 09:55

EAST Search History

S30	223	S29 and broadcast\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2006/12/21 09:56
S31	957	(370/462).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2006/12/21 11:18
S32	1	("5885129").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2006/12/21 11:38
S33	1444	(370/351,351).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2006/12/21 11:39
S34	3899	(370/351,360).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2007/02/02 12:45
S35	1446	(370/390,432).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2006/12/21 11:39
S36	29	"714"/\$.ccls. and (broadcast\$3) and (pattern with matching)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2006/12/21 11:40
S37	2174	(370/432,485,486,487,492).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2007/02/02 14:23
S38	9303	(709/217,218,219).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2007/02/02 13:30
S39	0	S37 and (input with devices with register\$3 with broadcast\$3 with (blueprint design model convention pattern))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2007/02/02 14:02

EAST Search History

S40	0	S37 and (input with devices) same register\$3 same broadcast\$3 same (blueprint design model convention pattern)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2007/02/02 14:02
S41	0	S37 and (devices) same register\$3 same broadcast\$3 same (blueprint design model convention pattern)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2007/02/02 14:02
S42	110	(devices) same register\$3 same broadcast\$3 same (blueprint design model convention pattern)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2007/02/02 14:07
S43	1	(input near2 devices) same register\$3 same broadcast\$3 same (blueprint design model convention pattern)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2007/02/02 14:07
S44	4593	(370/432,485,486,487,492,462,351).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2007/02/02 14:23
S45	0	S44 and (controller) with devices with register\$3 with (blueprint design model convention pattern patterns)	USPAT	OR	OFF	2007/02/02 14:25
S46	1	S44 and (controller) with devices with register\$3 with (blueprint design model convention pattern patterns)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2007/02/02 14:25
S47	1	S44 and (controller) with devices with (store register\$3 receive) with (blueprint design model convention pattern patterns)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2007/02/02 14:31
S48	1	S44 and (controller) with devices with (store register\$3 receive) with input with output with destination	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2007/02/02 14:31
S49	0	S38 and (controller) with devices with (store register\$3 receive) with input with output with destination	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2007/02/02 14:32

EAST Search History

S50	12	(controller) with devices with (store register\$3 receive) with input with output with destination	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2007/02/02 14:38
S51	3	(controller) with devices with (store register\$3 receive) with source with output with destination	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2007/02/02 14:38

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	528	(381/2).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2006/11/13 11:53
S2	765	(381/77).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2006/12/21 09:55
S3	324	suzuki.in. and broadcast\$3 and pattern	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2006/11/13 11:25
S4	62	suzuki.in. and broadcast\$3 and pattern and rout\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2006/12/20 19:47
S5	0	toa.AS. and broadcast\$3 and pattern and rout\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2006/11/13 11:36
S6	952	(370/462).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2006/11/13 11:53
S7	2	S1 and (broadcast\$3 near3 (pattern patterns))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2006/11/13 11:54
S8	1	S2 and (broadcast\$3 near3 (pattern patterns))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2006/12/21 09:05
S9	4	S6 and (broadcast\$3 near3 (signature pattern patterns))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2006/11/13 11:55

EAST Search History

S10	63	suzuki.in. and broadcast\$3 and pattern and rout\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2006/12/20 19:47
S11	0	S10 and patterns same control\$3 same intial\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2006/12/20 19:47
S12	10	S10 and (patterns same control\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2006/12/20 20:06
S13	1	(broadcast\$3 near3 system) same (control\$3 with forces with input with devices with register)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2006/12/20 20:07
S14	1	(broadcast\$3 near3 system) and (control\$3 with forces with input with devices with register)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2006/12/20 20:07
S15	1	(broadcast\$3) and (control\$3 with forces with input with devices with register)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2006/12/20 20:08
S16	84	(broadcast\$3) and (control\$3 with input with devices with register)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2006/12/20 20:09
S17	1	(broadcast\$3) and (forc\$3 near4 input near3 devices near3 register)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2006/12/20 20:10
S18	35	(broadcast\$3) and (input near3 devices near3 register)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2006/12/20 20:11
S19	1	(broadcast\$3 with patterns) and (input near3 devices near3 register)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2006/12/20 20:12

EAST Search History

S20	1	(broadcast\$3 with patterns) and ((input near3 devices) with register)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2006/12/20 20:12
S21	1	(broadcast\$3 with patterns) and ((input near3 devices) same register)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2006/12/21 09:25
S22	4582	digital near2 broadcast\$3 near2 (apparatus system)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2006/12/21 09:05
S23	18	(digital near2 broadcast\$3 near2 (apparatus system)) same patterns	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2006/12/21 09:14
S24	8	(digital near2 broadcast\$3 near2 (apparatus system)) and (register\$3 with patterns)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2006/12/21 09:15
S25	680	(broadcasting) and (input near3 devices) and (output near2 devices) and patterns	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2006/12/21 09:26
S26	3	(broadcasting) same (input near3 devices) same (output near2 devices) and patterns	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2006/12/21 09:26
S27	10	(broadcasting) and ((input near3 devices) same (output near2 devices) same patterns)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2006/12/21 09:26
S28	531	(381/2).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2006/12/21 09:41
S29	768	(381/77).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2006/12/21 09:55

EAST Search History

S30	223	S29 and broadcast\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2006/12/21 09:56
S31	957	(370/462).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2006/12/21 11:18
S32	1	("5885129").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2006/12/21 11:38
S33	1444	(370/351,351).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2006/12/21 11:39
S34	3899	(370/351,360).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2007/02/02 12:45
S35	1446	(370/390,432).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2006/12/21 11:39
S36	29	"714"/\$.ccls. and (broadcast\$3) and (pattern with matching)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2006/12/21 11:40
S37	2174	(370/432,485,486,487,492).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2007/02/02 14:23
S38	9303	(709/217,218,219).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2007/02/02 13:30
S39	0	S37 and (input with devices with register\$3 with broadcast\$3 with (blueprint design model convention pattern))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2007/02/02 14:02

EAST Search History

S40	0	S37 and (input with devices) same register\$3 same broadcast\$3 same (blueprint design model convention pattern)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2007/02/02 14:02
S41	0	S37 and (devices) same register\$3 same broadcast\$3 same (blueprint design model convention pattern)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2007/02/02 14:02
S42	110	(devices) same register\$3 same broadcast\$3 same (blueprint design model convention pattern)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2007/02/02 14:07
S43	1	(input near2 devices) same register\$3 same broadcast\$3 same (blueprint design model convention pattern)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2007/02/02 14:07
S44	4593	(370/432,485,486,487,492,462, 351).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2007/02/02 14:23
S45	0	S44 and (controller) with devices with register\$3 with (blueprint design model convention pattern patterns)	USPAT	OR	OFF	2007/02/02 14:25
S46	1	S44 and (controller) with devices with register\$3 with (blueprint design model convention pattern patterns)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2007/02/02 14:25
S47	1	S44 and (controller) with devices with (store register\$3 receive) with (blueprint design model convention pattern patterns)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2007/02/02 14:31
S48	1	S44 and (controller) with devices with (store register\$3 receive) with input with output with destination	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2007/02/02 14:31
S49	0	S38 and (controller) with devices with (store register\$3 receive) with input with output with destination	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2007/02/02 14:32

EAST Search History

S50	12	(controller) with devices with (store register\$3 receive) with input with output with destination	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2007/02/02 14:38
S51	3	(controller) with devices with (store register\$3 receive) with source with output with destination	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2007/02/02 14:38